

VAPORESSO
INNOVATION X



VAPORESSO PRODUCT MANUALS



FOUNDED IN 2015, VAPORESSO WAS FOUNDED ON THE BELIEF THAT EACH ACTION IS AN ENDEAVOR TO ACHIEVE EXCELLENCY.

Our unwavering commitment to surpassing the ordinary has propelled us to become the leading vaping brand globally in the near future. We embody a vision where our technology and values merge, crafting a better, cleaner, and more enjoyable life for all.

INNOVATION | STYLE | RELIABILITY

MOVE BEYOND DRDINARY

VAPORESSO
INNOVATION X



SMOORE POWER THAT BACK US

SMOORE is the largest vaping provider in the world



HUGE R&D INVESTMENT CREATS INNOVATION

SINCE 2012 13 CITIES



The first medicalgrade
factory in the industry



Equipped with highly
automatic production line



14 Industrial parks covering
an area more than 600,000 m²

Shenzhen Smoore Technology Limited

Building 16, Dongcai Industrial Park, Gushu Village, Xixiang Town, Bao'an District, Shenzhen, China 518102
Phone+86 75533092888 Ext.8617

POD

XROS Series
VIBE Series
ECO NANO Series
LUXE Q Series

POD MOD

LUXE X Series

TANK MOD

ARMOUR Series
GEN Series

PEN STYLE

ECO ONE Series

OTHER

APEX
GTX ONE PRO

We have a full range of products fit for all levels of vapers!
Check our website for the full updated list.

 www.vapresso.com



XROS PRO 2

PRO LIGHTNESS, PRO POWER



Glittering
Black



Glittering
Gold



Glittering
Silver



Dawn
Purple



Moonlit
Pink



Gem
Green



Storm
Blue

FEATURES



2000mAh
Mega Battery



Aerospace Alloy
Ultra Light



Delicate Flavor
Smooth Savor



Super Pulse
Ultra Consistent



Lock Switch
Never Misfire

SPECIFICATIONS

Dimensions: 125.6*25.7*18.4mm

POD Capacity: 3ml/2ml (TPD)

Coil Resistance: 0.4Ω/0.6Ω

Battery Capacity: 2000mAh

Output Power: 30W MAX

Charging: DC 5V/2.0A, Type-C

Display: 0.96" TFT Screen



XROS 5

CROSS THE LIMITS, CROSS SUPER CHARGING



Cosmic
Black

Coral
Red

Lavender
Purple

Grey
Silk

Violet
Silk

Blue
Silk

Opal
White

Opal
Pink

Jade
Green

Carbon
Stripe

FEATURES



Delicate Flavor
Smooth Savor



0.88" HD Screen



1500mAh
Mega Battery



Super Charge
80% in 20 Mins



XROS Pods
Compatible

SPECIFICATIONS

Dimensions: 120.8*24.5*14.5mm

Pod Capacity: 3mL/2mL(TPD)

Pod Resistance: 0.6Ω/0.8Ω

Battery Capacity: 1500mAh

Output Power: 30W MAX

Charging: DC 9V/2A,5V/3A, Type-C



XROS 5 MINI

CROSS THE LIMITS, CROSS SUPER CHARGING



Black



Sky
Blue



Purple



Titanium
Silver



Rose
Red



Flowing
Pink



Flowing
Green



Flowing
Blue



Pastel
Crystal



Carbon
Black

FEATURES



Delicate Flavor
Smooth Savor



1500mAh
Mega Battery



30 Mins
for 2 Days Vaping



Airflow
Adjustment



XROS Pods
Compatible

SPECIFICATIONS

Dimensions: 110.5*24.2*14.1mm

Pod Capacity: 3ml/2ml(TPD)

Pod Resistance: 0.8Ω

Battery Capacity: 1500mAh

Output Power: 30W MAX

Charging: DC 5V/2A, Type-C



XROS 4

FLAVOR BLAST THAT LASTS



Black Silver Blue Green Lilac Purple Sunset Neon Pink Mint Champagne Gold Pastel Palette Bloody Mary

FEATURES



0.4Ω Pod
3ml Top Fill



Explosive Flavor,
Exceeded Endurance



Pulse Mode
Power Boosting



3 Output Modes
Adjustment



Full Charge
in 30 Minutes



XROS Pods
Compatible

SPECIFICATIONS

Dimensions: 120.80*24*14mm
Pod Capacity: 3ml/2ml(TPD)
Pod Resistance: 0.4Ω/0.8Ω
Battery Capacity: 1000mAh
Charging: Type-C, 2A



XROS 4 MINI

FLAVOR BLAST THAT LASTS



FEATURES



0.4Ω Pod
3mL Top Fill



Explosive Flavor,
Exceeded Endurance



Pulse Mode
Power Boosting



XROS Pods
Compatible

SPECIFICATIONS

Dimensions: 107.51*24*14.12mm

Pod Capacity: 3mL/2mL(TPD)

Pod Resistance: 0.4Ω

Battery Capacity: 1000mAh

Charging: Type-C, 1A



XROS 4 NANO

CROSS THE LIMITS



Graphite
Black



Titanium
Silver



Aquamarine



Race Track



Word-pop
Yellow



Word-pop
Blue



Twilight
Purple

FEATURES



Circular TFT Display
Biggest in XROS



Explosive Flavor,
Exceeded Endurance



Full Charge
in 30 Minutes



XROS Pods
Compatible



1350mAh Long
Lasting Battery

SPECIFICATIONS

Dimensions: 55.3*20.9*79.9mm

Pod Capacity: 3mL/2mL(TPD)

Pod Resistance: 0.4Ω/0.8Ω

Battery Capacity: 1350mAh

Output Power: 30W Max

Charging: Type-C, 2A



XROS 3 MINI

CROSS THE LIMITS AGAIN



Black



Navy Blue



Space Grey



Icy Silver



Sky Blue



Rose Pink



Phantom
Gold



Phantom
Green

FEATURES



Accurate Flavor,
Lasting Longer



New 0.6Ω RDL Pod,
Fully Compatible



SSS Tech,
Anti Leaking



1000mAh
High Density Battery

SPECIFICATIONS

Dimensions: 99.2*23.6*13.8mm

Pod Capacity: 2ml

Resistance: 0.6Ω

Battery Capacity: 1000mAh

Charging: DC 5V/1A, Type-C

Display: 3 x LED Light



XROS PRO

BEST FLAVOR TILL THE END OF POWER



Black

Silver

Red

Blue

Green

Orange

Pink

Sapphire

Champagne
Gold

Purple

FEATURES



Super Pulse
For Super Flavor



Precise Power &
Airflow Adjustment



35 Minutes
Get 1200mAh Battery



3ml Top Fill



Switch Lock
Never Misfire

SPECIFICATIONS

Dimensions: 119.7*24.4*18.45mm

Pod Capacity: 3ml/2ml(TPD)

Resistance: 0.4Ω

Battery Capacity: 1200mAh

Charging: Type-C, 2A



XR0S PODS

VERSATILE FOR FREEBASE AND NIC SALT E-LIQUIDS

XROS PODS

SSS Leak-Resistant Technology | Top Filling | PCTG Material

3ML

Top Filling



0.4Ω MESH
BEST: 25W

COREX 3.0

Freebase
(PG/VG=30/70, 40/60)
0-6mg

Nic Salt
(PG/VG=50/50)
10-20mg



0.6Ω MESH
BEST: 21W

COREX 3.0

Freebase
(PG/VG=30/70, 40/60)
0-9mg

Nic Salt
(PG/VG=50/50)
10-35mg



0.8Ω MESH
BEST: 16W

COREX 3.0

Freebase
(PG/VG=30/70, 40/60)
0-12mg

Nic Salt
(PG/VG=50/50)
20-50mg

2ML

Top Filling



0.4Ω MESH
BEST: 25W

COREX 3.0

Freebase
(PG/VG=30/70, 40/60)
0-6mg

Nic Salt
(PG/VG=50/50)
10-20mg




0.6Ω MESH
BEST: 21W

COREX 3.0

Freebase
(PG/VG=30/70, 40/60)
0-9mg

Nic Salt
(PG/VG=50/50)
10-35mg



0.8Ω MESH
BEST: 16W

COREX 3.0

Freebase
(PG/VG=30/70, 40/60)
0-12mg

Nic Salt
(PG/VG=50/50)
20-50mg



1.0Ω MESH
BEST: 13 W

COREX 3.0

Freebase
(PG/VG=30/70, 40/60)
6-18mg

Nic Salt
(PG/VG=50/50)
20-50mg



1.2Ω MESH
BEST: 10W

COREX 3.0

Freebase
(PG/VG=30/70, 40/60)
6-18mg

Nic Salt
(PG/VG=50/50)
20-50mg



VIBE

SUPER VIBE, EASY LIFE



Black



Silver



Sky
Blue



Fresh
Green



Cherry
Pink



Berry
Purple



Racing
Red



Turbo
Blue

FEATURES



Dual Mesh
Great Flavor That Lasts



Smart & Powerful



Two Modes, All Set



4.5ML POD
One Fill a Day

SPECIFICATIONS

Dimensions: 121.1 x 25 x 16mm

POD Capacity: 4.5mL/2mL(TPD)

Resistance Range:

ECO:14W,0.8Ω PWR:24W,0.6Ω

Battery Capacity: 1100mAh

Charging Current: DC 5V/1A, Type-C

Display: 0.54"OLED Screen



VIBE SE

SUPER VIBE, EASY LIFE



FEATURES



Dual Mesh
Great Flavor That Lasts



Smart & Powerful



Two Modes, All Set



4.5ML POD
One Fill a Day

SPECIFICATIONS

Dimensions: 115.9 x 26.6 x 17.6mm

POD Capacity: 4.5ml/2ml(TPD)

Resistance Range:

ECO:14W,0.8Ω PWR:24W,0.6Ω

Battery Capacity: 1100mAh

Charging Current: DC 5V/1A, Type-C

Display: RGB Light Indicator



VAPORESSO
VIBE
NANO

((())) PWR

VIBE NANO

SUPER VIBE, EASY LIFE



Black

White

Blue

Strawberry
Red

Orange
Soda

Lime
Green

Ice Cream
Pink

Ice
Blueberry

FEATURES



Dual Mesh
Great Flavor That Lasts



Smart & Powerful



Two Modes, All Set



4.5ML POD
One Fill a Day

SPECIFICATIONS

Dimensions: 88.1 x 47 x 20.2mm

POD Capacity: 4.5m/2ml(TPD)

Resistance Range:

ECO:14W,0.8Ω PWR:24W,0.6Ω

Battery Capacity: 1100mAh

Charging Current: DC 5V/1A, Type-C

Display: RGB Light Indicator



VIBE NANO PRO

SUPER VIBE, EASY LIFE



Black

Silver

Sky
Blue

Fresh
Green

Cherry
Pink

Sparking
Purple

Racing
Red

Turbo
Blue

FEATURES



Dual Mesh
Great Flavor That Lasts



Smart & Powerful



Two Modes, All Set



1500mAh,2A
One Charge, All Day

SPECIFICATIONS

Dimensions: 89.5 x 50.5 x 21.3mm

POD Capacity: 4.5mL/2mL(TPD)

Resistance Range:

ECO:14W,0.8Ω PWR:24W,0.6Ω

Battery Capacity: 1500mAh

Charging Current: DC 5V/2A, Type-C

Display: 0.96" TFT Screen



VIBE PODS

One Pod, Two Experiences

VIBE PODS

Dual Mesh | 4.5ml Big Capacity | Fits all VIBE Series

4.5ML

Top Filling



VIBE 0.6/0.8 Ω
DUAL MESH SMART POD

POWER MODE: 24W, 0.6 Ω
ECO MODE: 14W, 0.8 Ω

Freebase
(PG/VG=30/70, 40/60)
0-6mg

Nic Salt
(PG/VG=50/50)
10-20mg



VIBE 0.7/1.0 Ω
DUAL MESH SMART POD

POWER MODE: 20W, 0.7 Ω
ECO MODE: 12W, 1.0 Ω

Freebase
(PG/VG=30/70, 40/60)
0-9mg

Nic Salt
(PG/VG=50/50)
10-35mg

2ML

Top Filling



VIBE 0.6/0.8 Ω
DUAL MESH SMART POD

POWER MODE: 24W, 0.6 Ω
ECO MODE: 14W, 0.8 Ω

Freebase
(PG/VG=30/70, 40/60)
0-6mg

Nic Salt
(PG/VG=50/50)
10-20mg



VIBE 0.7/1.0 Ω
DUAL MESH SMART POD

POWER MODE: 20W, 0.7 Ω
ECO MODE: 12W, 1.0 Ω

Freebase
(PG/VG=30/70, 40/60)
0-9mg

Nic Salt
(PG/VG=50/50)
10-35mg



LUXE X2

XTREME POWER, XTREME FLAVOR POD



Night
Black



White
Silver



Navy
Blue



Ruby
White



Light
Purple



Light
Pink



Avocado
Green



Wasp
Yellow

FEATURES



Precise Airflow
Adjustment



Explosive Flavor
Exceeded Endurance



Ultra High Density
Battery



Draw & Button
Activation



LUXE X Family
Compatible

SPECIFICATIONS

Dimensions: 101 x 31.4 x 21.5mm

POD Capacity: 5ml/2ml(TPD)

Resistance Range:

LUXE X Series 0.6Ω Mesh POD

LUXE X Series 0.8Ω Mesh POD

Battery Capacity: 2000mAh

Charging Current: DC 5V/1.5A, Type-C

Display: LED Indicator



LUXE X PRO

PRO-LEVEL 40W POD MOD



Black



Blue



Gunmetal
Lime



Ultra
Orange



Dazzling
Yellow



White



Pink

FEATURES



Adjustable
Wattage & Airflow



Draw & Button
Activation



Smart Wattage
Recommendation



Accurate Flavor
Lasting 50% Longer



Anti Leaking
Anti Messing

SPECIFICATIONS

Dimensions: 99.1 x 32 x 23.4mm

POD Capacity: 5ml/2ml(TPD)

Compatible POD: LUXE X 0.4Ω MESH POD

LUXE X 0.6Ω MESH POD

Battery Capacity: 1500mAh

Output Power: 40W

Charging Current: DC 5V/1.5A, Type-C

Display: 0.42" OLED Screen



LUXE XR MAX

SEEING THE FUTURE



Black



Grey



Silver



Blue



Red



Green



White



Pink



Glacier Blue



Apple Green



Forest Green



Coral Orange



Flame Red



Rock Black

FEATURES



COREX
Heating Tech



MAX 80W



SSS Tech
Anti Leaking



2800mAh Ultra High
Density Battery



GTX Coil Platform

SPECIFICATIONS

Dimensions: 106.5 x 32.1 x 26 mm

POD Capacity: 5ml/2ml(TPD)

Pod And Coil Resistance:

LUXE XR POD (DTL)/LUXE XR POD (RDL)

GTX 0.2Ω MESH COIL/GTX 0.4Ω MESH COIL

Battery Capacity: 2800mAh

Output Power: 80W MAX

Charging Current: DC 5V/2A,Type-C

Display: 0.54" OLED Screen, 2 * RGB LED Light



LUXE XR MAX 2

THE MAX GOT MIGHTIER



FEATURES



Dual Mesh
Strong Flavor That Lasts



3200mAh
Long Lasting Battery



Versatile Airflow
From MTL To DTL



PULSE MODE
for Consistent Power



GTX Coils
Compatibility



0.96" TFT Screen

SPECIFICATIONS

Dimensions: 108 x 32.1 x 26.4mm
 POD Capacity: 5ml/2ml (TPD)
 Resistance: GTX 0.2Ω DUAL MESH/GTX 0.8Ω MESH
 Battery Capacity: 3200mAh
 Charging Current: DC 5V/2A, Type-C
 Display: 0.96" TFT Screen + RGB Light



LUXE X PODS

SEEING THE FUTURE

LUXE X PODS

Flavor Boosting Technology | MTL & DTL POD | Compatible with all GTX Coils

LUXE X PODS

Built-in Coil



LUXE X Series
0.3Ω MESH POD

Best: 40W

Freebase
(PG/VG=30/70, 40/60)
0-6mg

Nic Salt
/



LUXE X Series
0.4Ω MESH POD

Best: 30W

Freebase
(PG/VG=40/60, 50/50)
6-12mg

Nic Salt
(PG/VG=40/60, 50/50)
10-20mg



LUXE X Series
0.6Ω MESH POD

Best: 24W

Freebase
(PG/VG=40/60, 50/50)
6-12mg

Nic Salt
(PG/VG=40/60, 50/50)
10-20mg



LUXE X Series
0.8Ω MESH POD

Best: 16W

Freebase
(PG/VG=30/70, 40/60)
0-9mg

Nic Salt
(PG/VG=40/60, 50/50)
20-50mg

LUXE XR EMPTY PODS

Replaceable GTX Coil



LUXE XR EMPTY
DTL POD

Freebase
(PG/VG=30/70, 40/60)
0-6mg
(PG/VG=50/50, 40/60)
6-12mg

Nic Salt
(PG/VG=40/60, 50/50)
10-20mg

0.15Ω
60-75W
Best: 70W



0.2Ω
45-60W
Best: 55W



0.3Ω
32-45W
Best: 40W



0.4Ω
26-32W
Best: 30W



0.6Ω
20-26W
Best: 24W



LUXE XR EMPTY
MTL POD

Freebase
(PG/VG=50/50, 40/60)
6-12mg
(PG/VG=50/50, 40/60)
12-20mg

Nic Salt
(PG/VG=40/60, 50/50)
10-20mg
(PG/VG=40/60, 50/50)
20-50mg

0.8Ω
12-16W
Best: 16W



1.2Ω
8-12W
Best: 11W



0.6Ω
20-26W
Best: 24W





GTX COILS

POWER & FLAVOR

GTX COILS

Power & Flavor

						
GTX 0.15Ω MESH COIL	GTX 0.2Ω MESH COIL	GTX 0.3Ω MESH COIL	GTX 0.4Ω MESH COIL	GTX 0.6Ω MESH COIL	GTX 0.8Ω MESH COIL	GTX 1.2Ω MESH COIL
60-75W Best: 70W	45-60W Best: 55W	32-45W Best: 40W	26-32W Best: 30W	20-26W Best: 24W	12-16W Best: 16W	8-12W Best: 11W
Freebase (PG/VG 40/60, 30/70) 0-6mg	Freebase (PG/VG 40/60, 30/70) 0-6mg	Freebase (PG/VG 40/60, 30/70) 0-6mg	Freebase (PG/VG 50/50, 40/60) 6-12mg	Freebase (PG/VG 50/50, 40/60) 6-12mg	Freebase (PG/VG 50/50, 40/60) 12-20mg	Freebase (PG/VG 50/50, 40/60) 12-20mg
Nic Salt /	Nic Salt /	Nic Salt /	Nic Salt (PG/VG 50/50, 40/60) 10-20mg	Nic Salt (PG/VG 50/50, 40/60) 10-20mg	Nic Salt (PG/VG 50/50, 40/60) 20-50mg	Nic Salt (PG/VG 50/50, 40/60) 20-50mg

LUXE XR EMPTY DTL POD  5ML 0.15Ω-0.4Ω	LUXE XR EMPTY MTL POD  5ML 0.6Ω-1.2Ω	xTank T Tank  3ML 0.4Ω-1.2Ω	ARMOUR G SERIES DTL POD  5ML 0.15Ω-0.4Ω	ARMOUR G SERIES MTL POD  5ML 0.6Ω-1.2Ω	xTank POD  4.5ML 0.15Ω-1.2Ω			
 LUXE XR MAX 2 0-80W 3200mAh	 LUXE XR MAX 0-80W 2800mAh	 LUXE X PRO 0-40W 1500mAh	 LUXE X2 0-40W 2000mAh	 GTX ONE PRO 0-40W 3000mAh	 ARMOUR G 0-80W 3000mAh	 ARMOUR GS 0-80W 18650 Battery	 GEN PT 80S 0-80W 18650 Battery	 GEN PT 60 0-60W 2500mAh

Devices with 40W and less output power do not support 0.15Ω and 0.2Ω coils.



ARMOUR ULTRA

BEYOND THE NORM, ULTRA REDEFINED



Obsidian
Black



Emerald
Green



Titanium
Silver



Storm
Blue



Light
Pink



Camo
Silver



Dune
Gold

FEATURES



5500mAh
Mega Battery



IP69K Rating



Military-Grade
Protection



Strong Flavor
That Lasts Longer



BOOST MODE
for Intense Flavor

SPECIFICATIONS

Dimensions: 144.5x37.6x31mm

TANK Capacity: 6mL/2mL(TPD)

Coil Resistance: GTX 0.2Ω DUAL MESH/GTX 0.4Ω DUAL MESH

Battery Capacity: 5500mAh

Output Power: 100W MAX

Charging: DC 9V2A or 5V/3A, Type-C

Display: 0.96" TFT Screen



ARMOUR G/GS

GO WITH POWER, GLOW WITH INNOVATION

ARMOUR G



Black Silver Brown Blue Green Pink Red Pastel Lilac Nebula Green Grey Knight

ARMOUR GS



Black Silver Brown Blue Green Pink Pink Leopard Puzzle Aqua Racing BlackFire

FEATURES



3000mAh MEGA BATT
Mega Power



DUAL MESH
Double Satisfaction



Powerful And
Consistent Flavor



Top Airflow &
Top Filling



Extremely
Comfortable Grip



GTX Coil Platform



Smaller Size

SPECIFICATIONS

ARMOUR G

Dimensions: 113 x 38 x 28 mm
POD Capacity: 5ml
Coil Resistance:
GTX 0.2Ω Mesh Coil(DTL)
GTX 0.4Ω Mesh Coil(DTL&MTL)
GTX 0.6Ω Mesh Coil(MTL)
Battery Capacity: 3000mAh
Output Power: 5-80W
Charging Current: DC 5V/2A, Type-C
Display: 0.96" TFT Screen& LED Light

ARMOUR GS

Dimensions: 126 x 39 x 28 mm
POD Capacity: 5ml
Coil Resistance:
GTX 0.15Ω Mesh Coil
GTX 0.3Ω Mesh Coil
Battery Capacity:
1 x 18650 Battery(Not Included)
Output Power: 5-80W
Charging Current: DC 5V/2A, Type-C
Display: 0.96" TFT Screen& LED Light



iTank T Version

ARMOUR MAX/S

THE ARMOUR, THE FEARLESS

ARMOUR MAX



Black

Green

Silver

Cyber
Gold

Cyber
Blue

Camo
Brown

Camo
Blue

ARMOUR S



Black

Green

Silver

Cyber
Gold

Cyber
Blue

Camo
Brown

Camo
Blue

FEATURES



Top Airflow &
Top Fill



Armoured
Protection



Uni-Lock,
Secure Your Power



Accurate Flavor,
Lasting 50% Longer



AXON to
Boost Power



18650/21700
Duo Compatibility

SPECIFICATIONS

ARMOUR MAX

Dimensions: 155.6 x 56.5 x 34mm

TANK Capacity: 6ml/2ml(TPD)

Coil Resistance:

GTi 0.2Ω MESH Coil(60-75W)

GTi 0.4Ω MESH Coil(50-60W)

Battery Capacity:

2 x 21700 or 18650 Battery(Not Included)

Output Power: 5-220W

Charging Current: DC 5V/2A, Type-C

Display: 0.96" TFT Screen

ARMOUR S

Dimensions: 153.4 x 41.9 x 36mm

TANK Capacity: 6ml/2ml(TPD)

Coil Resistance:

GTi 0.2Ω MESH Coil(60-75W)

GTi 0.4Ω MESH Coil(50-60W)

Battery Capacity:

1 x 21700 or 18650 Battery(Not Included)

Output Power: 5-100W

Charging Current: DC 5V/2A, Type-C

Display: 0.96" TFT Screen



GEN MAX/SE

TOP OF TOP FEEL

GEN MAX



GEN SE



FEATURES



Top Airflow & Top Fill



AXON
To Boost Power



Lock Button
Never Misfires



Comfortable Grip
Ultra Light



User-friendly
Interaction

SPECIFICATIONS

GEN MAX

Dimensions: 141.4 x 49.7 x 28.5mm
TANK Capacity: 6ml/2ml(TPD)
Coil Resistance:
GTi 0.2Ω Mesh Coil
GTi 0.4Ω Mesh Coil
Battery Capacity: 2 x 18650 Battery
Output Power: 5-220W
Charging Current: DC 5V/2A, Type-C
Display: 0.96" TFT Screen& LED Light

GEN SE

Dimensions: 141.4 x 35.6 x 26mm
TANK Capacity: 3ml/2ml(TPD)
Coil Resistance:
GTi 0.2Ω Mesh Coil
GTi 0.4Ω Mesh Coil
Battery Capacity: 1 x 18650 Battery
Output Power: 5-80W
Charging Current: DC 5V/2A, Type-C
Display: 0.96" TFT Screen



iTank T

TOP AIRFLOW, TOP PERFORMANCE

iTank T

Top Airflow | Slide And Top Fill | GTi Coils Compatible

DUAL MESH VERSION



SPECIFICATIONS

Dimensions: $\phi 24.5 \times 58.4 \text{mm}$

Tank Capacity: 6ml/3ml/2ml(TPD)


Coil Resistant:

GTi 0.15 Ω 75-90W

GTi 0.2 Ω 60-75W

GTi 0.4 Ω 50-60W

GTi 0.4 Ω 30-40W



GTi COILS

LARGER AIRWAYS

GTi COILS

Larger Airways | Clouds and Flavor | Compatible Platform

SINGLE MESH



GTi 0.15Ω
MESH COIL

75-90W
Best: 85W



GTi 0.2Ω
MESH COIL

60-75W
Best: 70W



GTi 0.4Ω
MESH COIL

50-60W
Best: 55W



GTi 0.5Ω
MESH COIL

30-40W
Best: 35W

Coming Soon



GTi 0.15Ω
DUAL MESH COIL

75-90W
Best: 85W



GTi 0.2Ω
DUAL MESH COIL

60-75W
Best: 65W



GTi 0.4Ω
DUAL MESH COIL

50-60W
Best: 55W

DUAL MESH

COMPATIBLE TANK



iTank T



iTank T
(Dual Mesh Version)

COMPATIBLE PRODUCTS



TARGET 80
(iTank Version)



TARGET 100



TARGET 200



GEN 80 S



GEN 200



GEN MAX



GEN SE



ARMOUR MAX



ARMOUR S



ARMOUR ULTRA



GTX ONE PRO

SLEEK AS ONE. POWERFUL AS PRO



Pink



Blue



Brown



Black



Silver



Red

FEATURES



3000mAh
Long Lasting Battery



Top Airflow
and Top Fill



Accurate Flavor,
Lasting Longer



Precise
Airflow Adjustment



Lock Button
To Secure

SPECIFICATIONS

Dimensions: 137.2 x 23.2 x 30mm

TANK Capacity: 3mL/2mL(TPD)

Coil Resistance:

GTX 0.6Ω Mesh Coil

GTX 1.2Ω Mesh Coil

Battery Capacity: 3000mAh

Output Power: 5-40W

Charging Current: DC 5V/2A, Type-C

Display: 0.87" OLED



xTank T

TOP AIRFLOW, TOP FLAVOR GLOW

xTank T

Easy Top Filling | Top Airflow | SSS Leak-Resistant



Black



Grey



Silver

SPECIFICATIONS

Dimensions: $\phi 22.4 \times 51.7\text{mm}$
Tank Capacity: 3ml/2ml(TPD)
Coil Resistant:
GTX 0.6 Ω MESH COIL
GTX 0.6 Ω MESH COIL



ECO ONE PRO

TOP FILL, TOP POWER



Midnight
Black



Platinum
Silver



Sapphire
Blue



Jade Green



Mocha
Brown



Froest
Pink



Wine
Red

FEATURES



1400mAh Battery
27% Bigger Than Before



Easy Filling
From The Top



Smoother Flavor
Tastes Real



Tight Draw
High Satisfaction



Customized
Airflow Adjustment

SPECIFICATIONS

Dimensions: ϕ 16.8*119mm

Pod Capacity: 2ml

Resistance:

ECO ONE 0.8 Ω MESH POD (Pre-installed)


ECO ONE 1.2 Ω MESH POD (In Box)

Battery Capacity: 1100mAh

Output Power: 16W MAX

Charging: DC 5V/1A, Type-C

Display: LED Indicator



ECO ONE

ALL-DAY POWER, ALL-DAY FLAVOR



Night
Black



Gunmetal
Grey



Grape
Purple



Grigio
metallo



Misty
Green



Tropics
Orange



Pink
Lemon



Sunset
Beach

FEATURES



Tight Draw
High Satisfaction



Ultra Light
36g



Smoother Flavor
Lasting Longer



1100mAh
Long Lasting Battery

SPECIFICATIONS

Dimensions: $\phi 16.8 \times 119$ mm

Pod Capacity: 2ml

Resistance:

ECO ONE 0.8 Ω MESH POD (Pre-installed)

ECO ONE 1.2 Ω MESH POD (In Box)

Battery Capacity: 1100mAh

Output Power: 16W MAX

Charging: DC 5V/1A, Type-C

Display: LED Indicator



ECO ONE PODS

SMOOTHER FLAVOR, LASTING MORE PUFFS

ECO ONE PODS

Easy Filling From The Top | COREX SMOOTH



ECO ONE 0.8Ω
MESH POD

2ML



ECO ONE 1.2Ω
MESH POD

2ML



ECO ONE 0.8Ω
MESH T-POD

2ML
(Drip Tip)



ECO ONE 0.8Ω
MESH T-POD

2ML
(Cotton Tips)



ECO NANO 2

GO SMOOTHER, GO FURTHER



Night
Dark

Urban
Grey

Pristine
White

Cali
Blue

Blossom
Pink

Sun-kissed
Amber

Misty
Green

Sky
Blue

Mystic
Purple

FEATURES



Smoother Flavor,
Lasting More Puffs



1000mAh
Long Lasting Battery



4 Levels
Battery Indicator



6mL ECO NANO
0.6Ω LUSH MESH POD
More Powerful

SPECIFICATIONS

Dimensions: 44.7*18.0*77.0mm

Pod Capacity: 6mL/2mL(TPD)

Resistance: 0.6Ω

Battery Capacity: 1000mAh

Charging: Type-C, 1A



ECO NANO PRO

BORN FOR PRO



Black

Coffee
Brown

Gunmetal

Silver

Ocean
Blue

Coral
Red

Sakura
Pink

Emerald
Green

FEATURES



Smoother Flavor,
Lasting More Puffs



6ml ECO NANO
0.6Ω LUSH MESH POD
More Powerful



Large Screen



ECO/POWER



ECO NANO Pods
Compatible

SPECIFICATIONS

Dimensions: 44.7*18.0*87.8mm

Pod Capacity: 6ml

Resistance: 0.6Ω

Battery Capacity: 1000mAh

Charging: Type-C, 1A



ECO NANO PODS

SMOOTHER FLAVOR, LASTING MORE PUFFS

ECO NANO PODS

6ml Long Lasting Pod Capacity | Smoother Flavor, Lasting More Puffs



ECO NANO 0.6Ω
LUSH MESH POD

6ML Version



ECO NANO 0.6Ω
MESH POD

6ML Version



ECO NANO 0.8Ω
MESH POD

6ML Version



ECO NANO 1.2Ω
MESH POD

6ML Version



LUXE Q2

QUALITY TOUCH, QUALITY VAPE



Black



Blue



Grey



Orange



Green

FEATURES



Precise
Airflow Adjustable



2A Rapid Charging
1000mAh Battery



Accurate Flavor
Lasting Longer



Deluxe Leather

SPECIFICATIONS

Dimensions: 96.75*26.7*18.2mm

Resistance: 0.6Ω/1.0Ω

Pod Capacity: 3mL/2mL(TPD)

Battery Capacity: 1000mAh

Filling: Side Filling

Display: 3-color LED

Charging: Type-C, 2A



LUXE Q2 SE

AN EFFORTLESSLY OPERABLE MTL POD FOR STARTERS



Fashion
Black



Digital
Blue



Graffiti
Pink



Abstract
Green



Space
Grey



Pearl
White



Mint
Green



Lilac
Purple

FEATURES



1000mAh High Density
Battery



COREX Heating Tech



LUXE Q POD
Compatible



SSS Leak-Resistant
Technology

SPECIFICATIONS

Dimensions: 96.7*27.4*17.5mm

Resistance: 0.8Ω

Pod Capacity: 3mL/2mL(TPD)

Battery Capacity: 1000mAh

Filling: Side Filling

Charging: Type-C, 1A



LUXE Q

CUTE YET POWERFUL MONSTER



Black

Red

Brown

Green

Pink

White

Blue

Matte
Silver

Camo

Matte
Red

FEATURES



1000mAh
High-Density Battery



Top Filling



Pioneering Texture



SSS Leak-Resistant
Technology

SPECIFICATIONS

Dimensions: 91.85*26*16.5mm

Resistance: 0.8 Ω /1.2 Ω

Pod Capacity: 2ml

Battery Capacity: 1000mAh

Charging: Type-C, 1A



LUXE Q PODS

CUTE YET POWER MONSTER

LUXE Q PODS

COREX Heating Tech | SSS Leak-Resistant Tech | All Pods Compatible

3ML

Side Filling



LUXE Q 0.6Ω
MESH POD



LUXE Q 0.8Ω
MESH POD



LUXE Q 1.0Ω
MESH POD

2ML

Top Filling



LUXE Q 0.6Ω
MESH POD



LUXE Q 0.8Ω
MESH POD



LUXE Q 1.0Ω
MESH POD



LUXE Q 1.2Ω
MESH POD



APEX

NOW OR NEVER, APEX FOREVER



Midnight
Black



Navy
Blue



Satin
Silver



Sky
Blue



Pearl
White



Snow
Pink

FEATURES



2000mAh Battery
2A Fast Charging



SSS
Leak-Resistant Tech



5mL POD



Adjustable
Power & Airflow



0.69-inch OLED



Auto Draw &
Button Activation

SPECIFICATIONS

Dimensions: 37*18.7*9.7mm
Pod Resistance: 0.6Ω/0.8Ω
Pod Capacity: 5mL/2mL(TPD)
Battery Capacity: 2000mAh
Output Power: 5-30W
Charging Current: Type-C, 2A
Display: OLED Screen

MOVE BEYOND DRDINARY



**VAPORESSO
OFFICAL WEBSITE**



**UV
COMMUNITY**